Arizona Digestive Health

3815 E Bell Rd Suite 1250, Phoenix, AZ 85032 (602) 493-3030

9250 N. 3rd St. Suite 4035, Phoenix, AZ 85020 (602) 279-3575

Esophagogastroduodenoscopy (EGD)

Procedure Date:	Procedure Time:	Check- In Time:
Arrive one ho	ur prior to procedure at add	ress marked below:
North Valley Endoscopy Center 15255 N. 40 th St Bldg. 8 Ste 157	He 25	onor Health JCL NM Hospital 0 E. Dunlap (Main Entrance ~Information Desk
	INSTRUCTIONS	

Because you will be receiving sedation, **YOU MUST HAVE SOMEONE DRIVE YOU HOME FROM THE FACILITY**

- 1. STOP THE FOLLOWING MEDICATIONS AS INSTRUCTED BELOW (2 to 7 days before your procedure)
 - Hold GLP-1's such as: Ozempic, Trulicity, Mounjaro, Byetta, Bydureon, Victoza, Adlyxin, Rybelsus.
 - o If weekly injectables, hold 1 week prior to your procedure.
 - o If daily dosing, hold the day of your procedure.
 - Blood Thinners including:
 - Discontinue 5 days before your procedure: Plavix, Coumadin/Warfarin, Clopidogrel, Effient, Prasugrel and Aggrenox.
 - o **Discontinue 2 days before your procedure:** Brilinta Eliquis, Xarelto/Pradaxa.
 - If not sure medications you are taking are blood thinners, CONSULT your Physician/Pharmacist
- 2. You may brush your teeth, but **DO NOT** swallow any water.
- **3.** "NOTHING to eat or drink at least 8 hours before your procedure". No sips, no ice, no gum, and no hard candies 8 hours before your procedure.

SPECIAL INSTRUCTIONS FOR MEDICATIONS:

- **HEART/BLOOD PRESSURE MEDICATIONS-**May be taken the day of the procedure with a very small sip of water.
- **DIABETIC MEDICATIONS- DO NOT TAKE** diabetic medications (pills or insulin) the **morning of** your procedure. Consult your Primary Care or Endocrinologist for any questions regarding your medications.